







PSW-7175 NR Economy

2	SAM.	8	.	
Product Details	Size	Packing	Certification	
Made of cow split AB quality leather with a rubberized cuff, this glove features a cotton back and a palm lined with soft cotton fleece for added comfort.	10	120 pairs	EN-ISO 21420:2020 EN 388:2019 4243X	
				C€



PSW-7175 NR Premium

2 2	SAW]		@	
Product Details	Size	Packing	Certification	
Made of cow split A quality leather with a rubberized cuff, this glove features a cotton back and a palm lined with soft cotton fleece for added comfort.	11	120 pairs	EN-ISO 21420:2020 EN 388:2019 4243X	
wan som cotton neece isi daded connort.				C€



PSW-7175 Red/Yellow

	400		Q	
Product Details	Size	Packing	Certification	
Made of cow split AB quality leather with a rubberized cuff, this glove features a cotton back and a palm lined with soft cotton fleece for added comfort.	10	120 pairs	EN-ISO 21420:2020 EN 388:2019 4243X	CE



PSW-1202 Economy

Product Details	Size	Packing	(Q) Certification	
Made of AB quality goat leather with binding.	8 - 11	120 pairs	EN-ISO 21420:2020 EN 388:2019 2122X	C€



PSW-1202 Super

	SAN TO		@	
Product Details	Size	Packing	Certification	
Made of A quality goat leather with binding.	8 - 11	120 pairs	EN-ISO 21420:2020 EN 388:2019 2122X	
				CE





PSW-1202 Premium White

	NW.		<u>R</u>	
Product Details	Size	Packing	Certification	
Made of A quality goat leather with knitted cuff.	9 - 11	120 pairs	EN-ISO 21420:2020 EN 388:2019 2122X	
				CE



PSW-1202 Premium Brown

2	SAM.		@	
Product Details	Size	Packing	Certification	
Made of A quality brown goat leather with knitted cuff.	9 - 11	120 pairs	EN-ISO 21420:2020 EN 388:2019 2122X	
				C



PSW-1202 PRO

	South 1		<u>R</u>	
Product Details	Size	Packing	Certification	
Made of cow grain leather with binding.	9 - 11	120 pairs	EN-ISO 21420:2020 EN388:2019 3132A	
				CE



PSW-1252 Economy

	SAM!	*	@	
Product Details	Size	Packing	Certification	
Made of goat leather back rib fabric with elastic velcro closure and binding.	8 - 11	120 pairs	EN-ISO 21420:2020 EN 388:2019 2122X	
				C



PSW-1252 Super

Product Details	Size	Packing	© Certification	
Made of goat leather back rib fabric with elastic velcro closure and binding.	9, 10	120 pairs	EN-ISO 21420:2020 EN 388:2019 2122X	
				C





PSW-1259

	Series -		<u> </u>	
Product Details	Size	Packing	Certification	
Made of goat leather back interlock fabric.	8 - 11	120 pairs	EN-ISO 21420:2020 EN 388:2019 2122X	
				C€



PSW-1150 White Economy

	W.	8		
Product Details	Size	Packing	Certification	
Made of AB quality goat leather with cow split leather cuff.	7 - 11	60 pairs	EN-ISO 21420:2020 EN 388:2019 2122X EN 407:2020 411X4X EN 12477:2001/A1:2005 TYPE B	C€



PSW-1150 White Super

Product Details	Size	Packing	© Certification	
Made of A quality goat leather with cow split leather cuff.	7 - 11	60 pairs	EN-ISO 21420:2020 EN 388:2019 2122X EN 407:2020 411X4X EN 12477:2001/A1:2005 TYPE B	C€



PSW-1150 Strong

Product Details	Size	Packing	© Certification	
Made of cow grain leather with split leather cuff.	10	60 pairs	EN-ISO 21420:2020 EN 388:2019 2122X EN 407:2020 411X4X EN 12477:2001/A1:2005 TYPE B	C€



PSW-1150 Weldo

Product Details	Size	Packing	QQ Certification	
Made of goat leather, back side with cow split leather and split leather cuff.	9 - 11	60 pairs	EN-ISO 21420:2020 EN 388:2019 2122X EN 407:2020 411X4X EN 12477:2001/A1:2005 TYPE B	c€







PSW-1150 Blue

Product Details	Size	Packing	(Q) Certification	
Made of A quality goat leather with split leather cuff and kevlar thread stitching.	9 - 11	60 pairs	EN-ISO 21420:2020 EN 388:2019 2122X EN 407:2020 411X4X EN 12477:2001/A1:2005 TYPE B	C€



PSW-1150 Red

Product Details	Size	Packing	© Certification	
Made of A quality goat leather with split leather cuff and kevlar thread stitching.	9 - 11	60 pairs	EN-ISO 21420:2020 EN 388:2019 2122X EN 407:2020 411X4X EN 12477:2001/A1:2005 TYPE B	C€



PSW-1150 Yellow

Product Details	Size	Packing	© Certification	
Made of A quality goat leather with split leather cuff and kevlar thread stitching.	9 - 11	60 pairs	EN-ISO 21420:2020 EN 388:2019 2122X EN 407:2020 411X4X EN 12477:2001/A1:2005 TYPE B	CE



PSW WELD PRO Yellow

Product Details	Size	Packing	© Certification	
Made of cow grain leather grip, with reinforcements on the thumb, index finger and grip. Additionally, there is foam reinforcement on the cuff.	10, 11	60 pairs	EN-ISO 21420:2020 EN 388:2019 3132X EN 407:2004 413X4X EN 12477:2001/A1:2005 TYPE B	C€



PSW WELD PRO Orange

PSVV VVELD PRO Orange				
	SAM.	8	.	
Product Details	Size	Packing	Certification	
Made of cow leather, with a grain leather gripping part with additional split leather reinforcements on the top and additional for reinforcement on the gripping part.	10, 11	60 pairs	EN-ISO 21420:2020 EN 388:2019 3132X EN 407:2004 413X4X EN 12477:2001/A1:2005 TYPE B	c€







PSW WELD PRO Top

1 344 WEED I NO TOP				
	SAN THE	8	@	
Product Details	Size	Packing	Certification	
Made of cow grain leather, reinforced on the thumb, index finger and in the gripping part with cow grain leather. Additionally, there are foam reinforcemments in the gripping part.	10, 11	60 pairs	EN-ISO 21420:2020 EN 388:2019 3132X EN 407:2004 413X4X EN 12477:2001/A1:2005 TYPE B	c€



PSW WELD PRO Star

Product Details	Size	Packing	(Q) Certification	
Made of cow grain leather reinforcement on two fingers and thumb. Additionally, there is foam reinforcement on the cuff.	10, 11	60 pairs	EN-ISO 21420:2020 EN 388:2019 3132X EN 407:2004 413X4X EN 12477:2001/A1:2005 TYPE B	c€



PSW WELD PRO Star 2

	WW]		Q	
Product Details	Size	Packing	Certification	
Welding gloves made of cow leather, with full-grain leather reinforcement on the grip area and thumb.cuff made of cow split leather. Designed to protect against hot metal splashes and high temperatures during welding.	10, 11	60 pairs	EN-ISO 21420:2020 EN 388:2019 3132X EN 407:2004 413X4X EN 12477:2001/A1:2005 TYPE B	ce



PSW-8080 Orange

Product Details	Size	Packing	(Q) Certification	
Made of A-grade cow grain leather with a rubberized cuff, palm-lined with soft cotton fleece for comfort and durability. The cotton back ensures breathability, while the strong leather palm provides excellent abrasion resistance	10.5	120 pairs	EN-ISO 21420:2020 EN 388:2019 2122X	C€



PSW-8080 Economy

1 344 0000 Economy				
	SANO.	8	@	
Product Details	Size	Packing	Certification	
Made of AB grade sheep leather with a rubberized cuff, palm-lined with soft cotton fleece for comfort and durability.	10	120 pairs	EN-ISO 21420:2020 EN 388:2019 2122X	
				C€





PSW-8080 Hard Stone

Product Details	Size	Packing	(Q) Certification	
Made of A-grade sheep leather with a rubberized cuff, palm-lined with soft cotton fleece for comfort and durability. The cotton back ensures breathability, while the strong leather palm provides excellent abrasion resistance.	10	120 pairs	EN-ISO 21420:2020 EN 388:2019 2122X	C



PSW-8121 Basic Plus

	SANA]	*	@	
Product Details	Size	Packing	Certification	
Made from AB quality cow split leather, this product has fully leather-trimmed seams, a high-quality white lining.	10	60 pairs	EN-ISO 21420:2020 EN 388:2019 3143X EN 407:2020 412X4X EN 12477:2001/A1:2005 TYPE A	C€



PSW-8121 Economy

	Sour L	8	<u> </u>	
Product Details	Size	Packing	Certification	
Made from AB quality cow split leather, this product has fully leather-trimmed seams, a high-quality white lining, and durable kevlar stitching for enhanced strength and longevity.	10	60 pairs	EN-ISO 21420:2020 EN 388:2019 3143X EN 407:2020 412X4X EN 12477:2001/A1:2005 TYPE A	C€



PSW-8121 Super

	NAME OF THE PERSON OF THE PERS	8	@	
Product Details	Size	Packing	Certification	
Made from premium cow split leather, this product has fully leather-trimmed seams, a high-quality white lining, and durable kevlar stitching for enhanced strength and longevity.	10	60 pairs	EN-ISO 21420:2020 EN 388:2019 3143X EN 407:2020 412X4X EN 12477:2001/A1:2005 TYPE A	C€



PSW-8121 NR

P3VV-01Z1 IVK				
	SANA.	8	<u>@</u>	
Product Details	Size	Packing	Certification	
Made from premium cow split leather, this product features completely leather-trimmed seams, reinforced grip and thumb areas, a high-quality white lining, and durable Kevlar stitching for long-lasting performance.	10	60 pairs	EN-ISO 21420:2020 EN 388:2019 3143X EN 407:2020 412X4X EN 12477:2001/A1:2005 TYPE A	c€





PSW-8121 Combo

)	Product Details	Size	Packing	(Q) Certification	
	Made from premium cow split leather, this product features completely leather-trimmed seams, reinforced grip and thumb areas, a high-quality white lining, and durable Kevlar stitching for long-lasting performance.	11	60 pairs	EN-ISO 21420:2020 EN 388:2019 3143X EN 407:2020 412X4X EN 12477:2001/A1:2005 TYPE A	C€



PSW-8121 Premium Plus

	SAM.	8	R	
Product Details	Size	Packing	Certification	
Made from grade A quality cow split leather, this product features a quality lining, Kevlar stitching, and completely covered seams. It includes additional reinforcement at the thumb base for enhanced strength and durability.	11	60 pairs	EN-ISO 21420:2020 EN 388:2019 3143X EN 407:2020 412X4X EN 12477:2001/A1:2005 TYPE A	c€



PSW-8121 Blue

Product Details	Size	Packing	© Certification	
Made from high-quality cow split leather, this 41 cm (16") glove features reinforced grip, back, and thumb areas, leather-trimmed seams, and a premium white lining. Stitched with durable Kevlar threads, it offers exceptional strength and longevity.	11	60 pairs	EN-ISO 21420:2020 EN 388:2019 3143X EN 407:2020 412X4X EN 12477:2001/A1:2005 TYPE A	C€



PSW-8121 Blue Pro

Product Details	Size	Packing	(Q) Certification	
Welding gloves made of cow split leather. Full-palm design with Fully lined for comfort. Features covered seams with Kevlar thread and reinforcements on the back, the gripping area, and the cuff. Additionally, the gloves are reinforced across the entire gripping area near the thumb	10, 11	60 pairs	EN-ISO 21420:2020 EN 388:2019 3143X EN 407:2020 412X4X EN 12477:2001/A1:2005 TYPE A	C€



PSW-401 Apron White

PSW-401 Apron White				
	Som!	8	R	
Product Details	Size	Packing	Certification	
Welding apron is made of the AB quality cow split leather with a minimum thickness of 1.1 mm.	90 x 60 cm	25 pieces	EN-ISO 11611:2015 KI. Class 2 A1 + A2 KEVLAR CE CAT II	C€





PSW-402 Apron Yellow

Product Details	Size	Packing	(Certification	
Welding apron is made of the AB quality cow split leather with a minimum thickness of 1.1 mm to 1.2 mm .	90 x 60 cm	25 pieces	EN-ISO 11611:2015 KI. Class 2 A1 + A2 KEVLAR CE CAT II	C€



PSW-402 Super

Product Details	Size	Packing	(Certification	
Welding apron is made of the highest quality class A, cow split leather with a minimum thickness of 1.4 - 1.5 mm	90 x 60 cm	25 pieces	EN-ISO 11611:2015 KI. Class 2 A1 + A2 KEVLAR CE CAT II	C€



PSW-402 Super Pocket

Product Details	Size	Packing	(Q) Certification	
Welding apron is made of the highest quality class A, cow split leather with a minimum thickness of 1.4 - 1.5 mm. Contains two pockets.	90 x 60 cm	25 pieces	EN-ISO 11611:2015 KI. Class 2 A1 + A2 KEVLAR CE CAT II	C€



PSW-402 Long Pocket

	W.	8		
Product Details	Size	Packing	Certification	
Made from premium A-grade cow split leather with a minimum thickness of 1.40 mm. Enhanced durability thanks to kevlar-thread stitching. Features adjustable straps and a velcro-secured pocket.	110 x 60 cm	25 pieces	EN-ISO 11611:2015 KI. Class 2 A1 + A2 KEVLAR CE CAT II	C



PSW-402 LICO	SAN SAN		<u> </u>	
Product Details	Size	Packing	Certification	
Made from premium A-grade full-grain cow leather with a minimum thickness of 1.40 mm. Enhanced durability with kevlar-thread stitching. Secured with adjustable straps.	90 x 60 cm	25 pieces	EN-ISO 11611:2015 KI. Class 2 A1 + A2 KEVLAR CE CAT II	C€







PSW-402 LICO Long

Product Details	Size	Packing	(Certification	
Made from premium A-grade full-grain cow leather, crafted from four panels, with a minimum thickness of 1.40 mm. Enhanced durability with kevlar-thread stitching. Secured with adjustable straps.	110 x 60 cm	25 pieces	EN-ISO 11611:2015 KI. Class 2 A1 + A2 KEVLAR CE CAT II	C



PSW-1500 leather Welding Jacket

Product Details	Size	Packing	(Q) Certification	
Designed for protection during welding processes (TIG, MIG/MAG, MMA) and related processes with comparable risks.	M, L, XL, XXL	25 pieces	EN-ISO 11611:2015 KI. Class 2 A1 + A2 KEVLAR CE CAT II	C€



PSW-1510 Welding Hood

Product Details	Size	Packing	(Q) Certification	
Made from premium cow split leather with a minimum thickness of 1.30–1.40 mm. Enhanced durability thanks to kevlar-thread stitching. Secured with velcro closures.		25 pieces	EN-ISO 11611:2015 KI. Class 2 A1 + A2 KEVLAR CE CAT II	C€



PSW-1610

Product Details	Size	Packing	(Q) Certification	
Welding shoe covers are made of the highest quality class A cow split leather, with a minimum tickness of 1.3 -1.4 mm. Fastened with velcro, and supported by a durable leather strap at the bottom.		25 pairs	EN-ISO 11611:2015 KI. Class 2 A1 + A2 KEVLAR CE CAT II	CE



PSW-1620 LTCO

PSW-1620 LICO	MA	8	<u></u>	
Product Details	Size	Packing	Certification	
Welding shoe covers are made of the highest quality class A cow grain leather, with a minimum tickness of 1.3 -1.4 mm. Fastened with leather strap, and supported by a durable leather strap at the bottom		25 pairs	EN-ISO 11611:2015 KI. Class 2 A1 + A2 KEVLAR CE CAT II	C€







PSW-1650 White Eco

L	SAW]	8	®	
Product Details	Size	Packing	Certification	
Welding sleeve. Made from cow split leather with a minimum thickness of 1.20–1.30 mm. Enhanced durability with kevlar-thread stitching. Secured with a strap and Velcro closure.		25 pairs	EN-ISO 11611:2015 KI. Class 2 A1 + A2 KEVLAR CF CAT II	CF



PSW-1650 LICO

	Sept.	*	R	
Product Details	Size	Packing	Certification	
Welding sleeve. Made from premium full-grain cow leather with a minimum thickness of 1.30-1.40 mm. Enhanced durability with kevlar-thread stitching. Secured with a leather strap.		25 pairs	EN-ISO 11611:2015 KI. Class 2 A1 + A2 KEVLAR CE CAT II	C€



PSW-1650 Gumka

Product Details	Size	Packing	(Q) Certification	
Welding sleeves are made of the top quality of cow split leather, with minimum thickness of 1.3 -1.4 mm, with an elastic band at the end.	46 cm (+/-1 cm)	25 pairs	EN-ISO 11611:2015 KI. Class 2 A1 + A2 KEVLAR CE CAT II	C€



PSW-1650 Mix

Product Details	Size	Packing	(Q) Certification	
Welding sleeves are made of the top quality of cow split leather, with minimum thickness of 1.3 -1.4 mm. Fastened with velcro with an elastic band at the end.	46 cm (+/-1 cm)	25 pairs	EN-ISO 11611:2015 KI. Class 2 A1 + A2 KEVLAR CE CAT II	C€



PSW-1650 Rzen

P3W-1030 KZep						
	SANA]		R			
Product Details	Size	Packing	Certification			
Welding sleeves are made of the top quality of cow split leather , with minimum thickness of 1.3 -1.4 mm. Fastened with vecro.	46 cm (+/-1 cm)	25 pairs	EN-ISO 11611:2015 KI. Class 2 A1 + A2 KEVLAR CE CAT II	C€		





Manufacturer & Direct Importer

Specializing in premium leather safety gloves and welding apparel.

Certified Safety Standards

All our products are European Certified (CE Category II), meeting the highest occupational safety requirements across various industries.

Private Label & OEM Services

We offer custom logo branding and private labeling options with a minimum order quantity of 3,000 pairs, supporting partners in building their own market identity.

Efficient Supply & Distribution

With our logistics center in Poland, we guarantee fast and reliable delivery across Europe and beyond.

Quality Control in Europe

Our dedicated Quality Control Unit in Poland ensures that every shipment meets our strict quality standards before dispatch.



Postępu 19, Warehouse # 13, Office # 110-116. Warsaw, Poland

 α

info@pswprotech.pl sales@pswprotech.pl

Regon: 367434932

=/

TAX ID: PL7831759613

https://pswprotech.pl

https://b2b.pswprotech.pl

WhatsApp / Telegram +48 574 584 734